

The manufacturer declares hereby, that all power supplies listed below, are in conformity with the provisions of the following European Directives:

**89/336 and 93/68/EEC** Electromagnetic Compatibility Directive  
**73/23 and 93/68 /EEC** Low Voltage Directive

**CS10.481** Input: 100-120/200-240VAC  
Output: 48-52VDC; 240W; ambient temperature -25°C to +60°C or  
48-52VDC; 288W; ambient temperature -25°C to +45°C

The following standards were used to assess the products:

**EN 61000-6-4:2001 Generic Emission Standard**

- EN 55011 class B and EN 55022 class B (for line-routed interference and radiation)
- Configuration: Power supply on table, resistance load,  
line length load/mains line: 1m for line-routed interference (150kHz-30MHz)  
line length load/mains line: 1m horizontal and 0,8m vertical for radiated interference (30MHz-1GHz)

**EN 61000-6-2:2001 Generic Immunity Standard**

(also meets the requirements of EN 61000-6-1:2001)

- EN 61000-4-2 ( IEC 61000-4-2) Electrostatic discharge
- EN 61000-4-3 ( IEC 61000-4-3) Radio frequency electromagnetic field. Amplitude modulated.
- EN 61000-4-4 ( IEC 61000-4-4) Fast Transients
- EN 61000-4-5 ( IEC 61000-4-5) Surges
- EN 61000-4-6 ( IEC 61000-4-6) Radio frequency common mode. Amplitude modulated.
- EN 61000-4-11 ( IEC 61000-4-11) Voltage dips and interruptions

**EN 60950-1:2001 Information technology equipment - Safety –  
Part 1: General requirements**

PULS as the manufacturer is liable for this declaration.

PULS Elektronische Stromversorgungen GmbH  
Arabellastraße 15  
D- 81925 München

Munich, 26.07.2006

Bernhard Erdl , Managing Director

No. G 360 8